


**REDROCK**

# BLOCKCUTTERS



Designed to Perform,  
Built to Last.

**85 Series Alligators**  
**100 Series Telegators**  
**130 series Alligators**  
**All Round Blockcutters**



Redrock Machinery Ltd, 77 Redrock Road, Collone, Armagh, N.Ireland, Bt60 2BL

Tel: (0044) 028 37552390

[www.redrockmachinery.com](http://www.redrockmachinery.com)

## BLOCKCUTTERS

The Redrock ranges of blockcutter are both powerful and durable. The broad range has been designed to suit all types of farms from the large scale dairy to the modest small holdings.

### Unique Blades

All machines have the unique “bolt on Blades” which enables easy service. Made from specially tempered steel these blades can be supplied in large or small serrated sections. They are designed to stay sharp and cut through the silage clamp with minimum of effort, leaving a perfect silo face.

### Nickel Plated chrome rods

The powerful hydraulic cylinders are built to the most powerful stringent industrial standards. The rods are nikel-plated prior to chroming. This ensures extensive anti-corrosion protection against chrome flake and rust, and also prevents damage to the hydraulic seals.

Wide ranges of bolt on industrial and tractor loader brackets are available. Most blockcutters can be fitted with a push-off system. “hi-lift” and rear end loader masts.



100 Series Telegator



130 Series Alligator



100 Series All Round



## Model 85 Series Alligator

	4'6"	5'2"	5'10"	5'10"	6'6"	7'2"
Capacity(m3)	0.95	1.10	1.25	1.25	1.35	1.50
Width (cm)	137	157	180	180	200	220
Max opening(cm)	85	85	85	85	85	85
No. of rams	2	2	2	3	2	3
Unladen weight	480	535	600	700	660	830



## Model 100 Series Telegator

	180	200	240
Capacity(m3)	1.50	1.70	2.10
Width (cm)	180	200	240
Max opening(cm)	100	100	100
No. of rams	2	2	3
Unladen weight	700	750	850



## Model 130 Series Alligator

	140	160	180	200	300
Capacity(m3)	1.75	2.00	2.25	2.50	3.50
Width (cm)	140	160	180	200	300
Max opening(cm)	130	130	130	130	130
No. of rams	2	2	2	2	3
Unladen weight	900	960	1000	1060	1250




## Model 85 Series & 100 Series AR

	5'2"	5'10"	6'6"	200	240
Capacity(m3)	1.10	1.25	1.35	1.70	2.10
Width (cm)	157	180	200	200	240
Max opening(cm)	85	85	85	100	100
No. of rams	2	2	2	2	2
Unladen weight	680	740	800	1200	1360



# BLOCKCUTTERS




**Push-off systems**



**Rear end loaders**



**Hi & low lifts**



**Bolt on brackets**



**All Round**



**Perfect silo face**

Due to our policy of continuous improvement Redrock reserve the right to alter the specification displayed on this brochure.